




TranstorQ

DRIVE PVT. LTD.

YOU **DEMAND...** WE **DELIVER...**



**Worm Geared
Motor**




**F
Series
Helical
Gearbox**



**Planetary
Gearbox**



**K- Series
Heli-Bevel
Gearbox**



**In-line Helical
Geared Motor**

MOTORS | GEARBOXES | DRIVES



**MANUFACTURER AND STOCKIST OF ALL TYPES OF
INDUCTION MOTORS, INDUSTRIAL GEARBOXES, DRIVES.**



Worm Gear Reducers

Size

- Box30 to Box 150
- Aluminium
- Housing till 90

Varians

- Input solid
- Double input solid
- Hollow soild
- Double redution

Ratios

- 5:1 to 100:1

All spares available

- Torque Range : 5 Nm To 2000 NM

Helical Gear Reducer (RH Series)

Size

- RH20 to RH35

Varians


- Foot mount (Horizontal)
- Flange Mount (Vertical)

Ratios

- 6:1 to 100:1

- **All spares available**
- **Customisation Available**

- Torque Range : 150 Nm To 5000 NM



Planetary Gear Reduers

Size

- 601 to 615

Varians

- Foot mount
- Flange Mount
- C Flange
- Input solid

Ratios

- 3:1 to 500:1

- **All spares available**
- **Customization Available**

- Torque Range : 250 Nm To 250000 NM



K Series (Heli-Bevel) Gearbox

Size

- K47 to K137

Ratios

- 10:1 to 150:1
- Torque Range : 200 Nm To 20000 NM

Varians

- Foot mount (K)
- Flange mount(KF)
- Input solid

F- Series (Helical) Gearbox

Size

- F37 to F107

Ratios

- 10:1 to 100:1
- Torque Range : 200 Nm To 20000 NM

Varians

- Shaft mount (FA)
- Flange mount (FAF)



R Series (in-line) Helical Gearbox

Size

- R27 to R137

Ratios

- 10:1 to 100:1
- Torque Range : 150 Nm To 5000 NM

Varians

- Foot mount
- Flange Mount (Vertical)





MX Series Casting Body Motors

Size

- 0.5Hp to 50Hp

Speed

- 2 Pole (2880 rpm)
- 4 Pole (1440 rpm)
- 6 Pole (96 rpm)
- 8 Pole (720 rpm)

Varians

- Foot mount
- Flange mount
- Foot cum flange
- Face mount

Aluminium body electric motors

Size

- 0.25HP to 3HP

Speed

- 2 Pole (2880 rpm)
- 4 Pole (1440 rpm)
- 6 Pole (960 rpm)
- 8 Pole (720 rpm)

Varians

- Foot mount
- Flange Mount
- Face mount



Vaccume(ring) Blower

Size


- 0.5Hp to 10Hp

Speed

- 2 Pole

Varians

- Single ring
- Double ring



FHP (micro) Gear Motor

Size

- 15W to 350W

Ratios

- 5:1 to 300:1

Varians

- Single phase
- Three phase
- Single phase with controller

AC Drives (VFD)

Size

- 0.5HP to 50HP

Varians

- Single phase upto 3HP
- Three phase



Servo Motor

Size

- 400W to 2.2KW

Ratios

- 17 bit encoder

Varians

- Input voltage 230
- Single phase
- Three phase

**Quality Is Never
An Accident,
It Is Always A Result
of Great Efforts.**

FHP MOTORS



VACCUME
AIR BLOWERS



VARIABLE FREQUENCY
DRIVE (VFD)



CAST IRON BODY
MOTORS



SERVO
MOTOR



**LEADING BRAND IN INDIAN
MAKE GEARBOXES AND MOTORS.**

TranstorQ Drive Pvt. Ltd.

 10-Samrat Industrial Area, Opp. Satyanarayan Weigh Bridge,
B/h., ST Workshop, Rajkot-4.

 +91 80008 55550, +91 91066 70884

 E-mail : transtorqdrives@gmail.com

SCAN FOR



TECHNICAL DETAILS

FOLLOW FOR
LATEST UPDATES



@TRANSTORQ_2021